Contents

eface		vii
nowle	edgements	viii
nbols		ix
Lin	1.1-1.22	
1.1	1.1	
1.2	Safety Against Limit States	1.1
	1.2.1 Variations in material strength	1.2
	1.2.2 Variations in loads	1.5
1.3	Strength and Deformation of Concrete	1.7
	1.3.1 Grades of concrete	1.7
	1.3.2 Increase in strength with age	1.8
	1.3.3 Stress-strain curve for concrete	1.8
	1.3.4 Elastic modulus of concrete	1.11
	1.3.5 Dynamic elastic modulus of concrete	1.12
	1.3.6 Tensile strength of concrete	1.12
	1.3.7 Shrinkage of concrete	1.14
	1.3.8 Creep of concrete	1.15
1.4	Strength and Deformation of Steel	1.16
	1.4.1 Mild steel plain round bars	1.16
	1.4.2 High yield strength deformed bars	1.17
	1.4.3 Welded wire fabric	1.18
	1.4.4 Characteristic strength and stress-strain relationship	1.19
	1.4.5 Nominal diameter of bars	1.20
1.5	Steel-Concrete Bond	1.22
Sin	2.1-2.70	
2.1	Introduction	2.1
2.2	Limit State of Collapse in Flexure	2.2
	2.2.1 Assumptions	2.2
	2.2.2 Bending strength of singly reinforced beams	2.3
2.3	Effective Span	2.7
2.4	Minimum Clear Distance Between Bars	2.8
	eface mowle abols Lin 1.1 1.2 1.3 1.4 1.5 Sin 2.1 2.2 2.3 2.4	Efface mowledgements hobits Limit State Design 1.1 Introduction 1.2 Safety Against Limit States 1.2.1 Variations in material strength 1.2.2 Variations in loads 1.3 Strength and Deformation of Concrete 1.3.1 Grades of concrete 1.3.2 Increase in strength with age 1.3.3 Stress-strain curve for concrete 1.3.4 Elastic modulus of concrete 1.3.5 Dynamic elastic modulus of concrete 1.3.6 Trength of concrete 1.3.7 Shrinkage of concrete 1.3.8 Creep of concrete 1.3.8 Creep of concrete 1.4.1 Mild steel plain round bars 1.4.2 High yield strength deformed bars 1.4.3 Welded wire fabric 1.4.4 Characteristic strength and stress-strain relationship 1.4.5 Nominal diameter of bars 1.5 Steel-Concrete Bond Singly Reinforced Rectangular Beam 2.1 Introduction 2.2 Limit State of Collapse in Flexu

	2.5	Maximum Clear Distance Between Bars	2.9
	2.6	Cover to Reinforcement in a Beam	2.9
	2.7	Limits on the Quantity of Reinforcement	2.10
	2.8	Side Face Reinforcement	2.10
	2.9	Development Length of Reinforcement Bar	2.17
	2.10	Anchoring Reinforcing Bar	2.19
	2.11	Termination and Curtailment of Tension Reinforcement	2.19
	2.12	Limit State of Collapse in Shear	2.29
		2.12.1 Shear stress and diagonal tension	2.29
		2.12.2 Nominal shear stress τ_v	2.31
		2.12.3 Shear strength of beams without shear reinforcement	2.31
		2.12.4 Forms of shear reinforcement in beams	2.33
		2.12.5 Shear strength of beams with shear reinforcement	2.34
		2.12.6 Design recommendations of IS Code : 456	2.35
		2.12.7 Critical section for shear	2.36
		2.12.8 Consideration of shear when tension reinforcement is curtailed in tension zone	2.37
		2.12.9 Anchoring of stirrup bars	2.38
	2.13	Limit State of Serviceability	2.46
		2.13.1 Limits on cracking	2.46
		2.13.2 Limits on deflection	2.47
		2.13.3 Calculation of deflection	2.48
		2.13.4 Control of deflection by limiting Span/Depth ratio	2.50
		2.13.4.1 Control of deflection in beams and one-way slabs	2.50
		2.13.4.2 Control of deflection in two-way slabs	2.52
	2.14	Lateral Stability of Beams	2.52
	2.15	One-Way Slab	2.61
		2.15.1 Temperature and shrinkage reinforcement	2.62
		2.15.2 Limit on spacing of reinforcement bars	2.62
		2.15.3 Permissible shear stress in concrete in slabs	2.02
3.	Dou	ibly Reinforced Beam	3.1-3.12
	3.1	Introduction	3.1
	3.2	Bending Strength of Doubly Reinforced Beams	3.1
	3.3	Requirements of IS Code : 456	3.3
4.	T-B	Seam	4.1-4.26
	4.1	Introduction	4.1
	4.2	Effective Width of Flange	4.2

	4.3	Limit	State of Collapse in Flexure	4.2
		4.3.1	Neutral axis lies within the flange, i.e., $X_u \leq D_f$	4.3
		4.3.2	Neutral axis lies outside the flange, i.e., $X_u > D_f$	4.4
		4.3.3	Simple empirical procedure as per IS Code : 456	4.15
	4.4	Limit	State of Collapse in Shear	4.18
	4.5	Limit	State of Serviceability	4.18
5.	Co	mpres	sion Members	5.1-5.52
	5.1	Introd	uction	5.1
	5.2	Unsup	oported Length	5.3
	5.3	Effect	ive Length	5.5
	5.4	Assun	nptions Regarding Strains at Failure	5.8
	5.5	Design	n Requirements as per IS Code : 456	5.9
		5.5.1	Slenderness limit	5.9
		5.5.2	Longitudinal reinforcement	5.10
		5.5.3	Transverse reinforcement	5.10
		5.5.4	Cover on column reinforcement	5.12
	5.6	Eccen	tricity of Loading	5.13
	5.7	Comp	ressive Strength of Short Compression Members	5.13
		5.7.1	Axial loading	5.13
		5.7.2	Combined axial load and uniaxial bending	5.15
		5.7.3	Interaction diagram for a eccentrically loaded compression member	5.20
		5.7.4	Combined axial load and biaxial bending	5.21
	5.8	Comp under	ressive Strength of Slender Compression Members Combined Axial Load and Bending	5.22
		5.8.1	Behaviour under increasing load	5.22
		5.8.2	Braced compression members	5.22
		5.8.3	Unbraced compression members in which side sway occurs	5.24
		5.8.4	Initial moment for slender compression members	5.25
		5.8.5	Additional moment for slender compression members	5.25
		5.8.6	Total design moment for compression members	5.26
		5.8.7	Design charts of SP : 16-1980	5.45
6.	Tw	o-Way	y Slabs	6.1-6.20
	6.1	Introd	uction	6.1
	6.2	Analy	sis for Bending Moments as per IS Code : 456	6.2
		6.2.1	Simply supported rectangular slab with corners free to life	it 6.2
		6.2.2	Rectangular slab panel with corners prevented from liftin	g 6.3

xiv	Contents
xiv	Contents

	6.3	Consi	ideration of Shear	6.7
	6.4	Contr	ol of Deflection	6.9
7.	Co	ntinuo	7.1-7.40	
	7.1	Introduction		7.1
	7.2	Curvature of a Member at a Section		7.1
	7.3	Plasti	c Hinge Rotation Capacity	7.4
		7.3.1	Tensile hinge	7.4
		7.3.2	Compressive hinge	7.6
	7.4	Empi	rical Expressions of Baker*	7.7
		7.4.1	For tensile plastic hinge in a beam	7.7
		7.4.2	For compressive hinge in a compression member	7.8
		7.4.3	Enhanced strain capability of confined concrete	7.8
	7.5	Requ	ired Plastic Hinge Rotation	7.9
	7.6	Analy	ysis of Structure	7.11
		7.6.1	Arrangement of live load	7.11
		7.6.2	Elastic analysis and the redistribution of moments	7.12
		7.6.3	Ultimate load analysis	7.14
8.	Design of Staircases			8.1-8.14
	8.1	Introduction		8.1
	8.2	Effec	tive Span	8.3
	8.3	Live	Load	8.4
	8.4	Distri	ibution of Load	8.4
9.	Flat Slabs			9.1-9.30
	9.1	Intro	duction	9.1
	9.2	Widt	h of Column Strip	9.2
	9.3	Width of Middle Strip		9.2
	9.4	Propo	ortions as per IS Code : 456	9.2
		9.4.1	Drops	9.2
		9.4.2	Column head	9.3
		9.4.3	Thickness of flat slab	9.4
	9.5	Panel	s with Marginal Beams and Walls	9.4
	9.6	Direc	t Design Method	9.4
		9.6.1	Limitations	9.4
		9. č	Total design moment for a span	9.4
		9.6.3	Negative and positive design moments	9.5
		0 / 4	Madification of design and the second for the last	0.4

Contents	xν
----------	----

	9.7	Equiva	alent Frame Method	9.7
		9.7.1	Analysis for moments	9.7
		9.7.2	Loading pattern	9.7
		9.7.3	Section for negative design moment	9.8
		9.7.4	Modification of maximum moment	9.9
	9.8	Bendi	ng Moments in Column and Middle Strips	9.9
		9.8.1	Column strip	9.9
		9.8.2	Middle strip	9.10
	9.9	Mome	ents in Columns	9.10
	9.10	Bendi	ng Moment Transfer from Slab to Column	9.10
	9.11	Consi	deration of Shear Stresses	9.11
		9.11.1	Critical section for shear	9.11
		9.11.2	Evaluation of the shear stress	9.12
		9.11.3	Permissible shear stress	9.13
		9.11.4	Criteria for safety in shear	9.13
	9.12	Tensio	on Reinforcement	9.14
		9.12.1	Consideration of effective depth	9.14
		9.12.2	Bar spacing	9.14
		9.12.3	Minimum length of reinforcement	9.14
		9.12.4	Anchorage of reinforcement	9.14
10.	Bea	ms C	urved in Plan	10.1-10.24
	10.1	Arcate	e Beams with One End Fixed and Other Free	10.1
	10.2	Unifo	rmly Loaded Arcate Beam with Both Ends Fixed	10.4
	10.3	Unifor Suppo	mly Loaded Ring Beam Having Equally Spaced orts	10.9
	10.4	Desig	n For Combined Shear and Torsion	10.13
		10.4.1	Arrangement of reinforcement	10.14
		10.4.2	Equivalent shear force	10.15
		10 4.3	Requirements of IS Code : 456 regarding reinforceme	nt 10.15
11.	Des	ign of	Footings	11.1-11.34
	11.1	Introd	uction	11.1
	11.2	Area	of Footing	11.2
	11.3	Isolate	ed Footings	11.3
		11.3.1	Pressure distribution beneath the footing	11.3
		11.3.2	Structural action and design considerations	11.4
		11.3.3	Lay-out of tension reinforcement	11.6
	11.4	Bearin	ng Stress at the Base of Column	11.7

xvi Contents

	11.5 Minimum Thickness at the Edge	11.8
	11.6 Combined Footing for Two Columns	11.13
	11.6.1 Necessity for combined footing	11.13
	11.6.2 Rectangular combined footing	11.15
	11.6.3 Trapezoidal combined footing	11.16
	11.6.4 Strap beam footing	11.17
12.	Design of Retaining Walls	2.1-12.34
	12.1 Introduction	12.1
	12.2 Earth Pressure	12.2
	12.3 Effect of Surcharge	12.5
•	12.4 Stability of Retaining Wall	12.6
	12.4.1 Stability considerations	12.6
	12.4.2 Provisions of the IS Code : 456	12.6
	12.5 Preliminary Design Proportions Index	12.9