

2.6.1.3. Fate of Lipophilic and Hydrophilic Substituted Drugs	64
2.6.1.4. Implication of Henderson and Hasselbalch Equation	64
2.6.2. Pore Transport (Convective Transport)	65
2.6.2.1. Highlights of Pore Transport	65
2.6.3. Carrier-Mediated Transport	66
2.6.3.1. Important Characteristic Features of Carrier-Mediated Transport System	66
2.6.4. Active Transport	68
2.6.5. Facilitated Diffusion	70
2.6.6. Carrier-Mediated Intestinal Transport	71
2.6.7. Ionic Diffusion (or Electrochemical Diffusion)	71
2.6.7.1. Permeation Profile of Cationic Drug Molecules	72
2.6.8. Ion-Pair Transport	72
2.6.9. Endocytosis	72
2.6.10. Summary of Important Transport Processes <i>vis-à-vis</i> Critical Absorption of Drugs by Different Mechanism	74
2.7. Drug Absorption vs Bioavailability	74
2.7.1. Preamble	74
2.7.2. Pharmaceutical Factors (or Biopharmaceutic Considerations) Affecting Drug Bioavailability	75
2.7.2.1. Rate-Determining Step (RDS)	76
2.7.2.2. Noyes-Whitney Dissolution Rate Law	80
2.7.3. Factor Influencing GI Absorption of a Drug from Its Respective Dosage Forms	82
2.7.3.1. Pharmaceutical Factors	82
2.7.3.2. Patient-Related Factors	83
2.7.4. Physiochemical Nature of the Drug <i>vis-à-vis</i> Absorption	83
2.7.4.1. Drug Solubility and Dissolution Rate	84
2.7.4.2. Theories of Drug Dissolution	86
2.7.4.3. Particle Size and Drug Absorption	88
2.7.4.4. Polymorphic Crystals, Solvates and Drug Absorption	91
2.7.4.5. Drug pK <sub>a</sub> Lipophilicity and GI pH (or pH-Partition Hypothesis)	93
2.7.4.6. Limitations of pH-Partition Hypothesis	101
2.7.4.7. Deviations from the pH-Partition Hypothesis	104
2.7.5. Product Form (Dosage Form) Characteristics <i>vis-à-vis</i> Pharmaceutic Ingredients Affecting Drug Absorption	106
2.7.5.1. Product Form Characteristics	107
2.7.5.1.1. Formulation Factors	107
2.7.5.1.2. Disintegration Time	111
2.7.5.1.3. Processing Variants	112
2.7.5.1.4. Granulation Variables	112

- 2.7.5.1.5. Applied Compression Force 114
- 2.7.5.1.6. Packing of Capsule Contents 115
- 2.7.5.2. Pharmaceutic Ingredients 116
- 2.7.6. Drug Absorption *vis-à-vis* Patient-Related Factors 122

### **3. Pharmacokinetics**

**(128–225)**

- 3.1. Introduction 126
  - 3.1.1. Effects of Pharmacokinetics 127
    - 3.1.1.1. Preformulation 127
    - 3.1.1.2. Dissolution Testing 128
    - 3.1.1.3. Bioavailability and Bioequivalence 129
  - 3.2. Clinical Significance of Plasma Protein Drug Concentration Measurement 130
    - 3.2.1. Significance of Drug-Protein Binding Complex 131
      - 3.2.1.1. Serum Albumin 133
      - 3.2.1.2.  $\alpha_1$ -Acid Glycoprotein (or  $\alpha_1$ -AGP or AAG) 135
      - 3.2.1.3. Lipoproteins 136
      - 3.2.1.4. Globulins ( $\alpha$ -,  $\beta$ -,  $\gamma$ -Globulins) 138
      - 3.2.1.5. Erythrocytes [or Red Blood Cells (RBCs)] 138
  - 3.3. Pharmacokinetic Models 140
    - 3.3.1. Pharmacokinetic Models *vis-à-vis* Mathematical Models 142
    - 3.3.2. Classification of Pharmacokinetic Models 143
      - 3.3.2.1. Compartment Models 143
      - 3.3.2.2. Flow Models (or Physiologic-Pharmacokinetic Models) 155
      - 3.3.2.3. Non-Compartmental Pharmacokinetics 159
      - 3.3.2.4. Non-Linear Pharmacokinetics 161
  - 3.4. Pharmacokinetics of Drug Absorption 162
    - 3.4.1. Zero-Order Absorption Rate Constant 162
      - 3.4.1.1. Plasma Drug Level-Time Curve for a Drug Administered in Single Oral Dose 163
    - 3.4.2. First-Order Absorption Rate Constant 165
    - 3.4.3. The Loo-Riegelman and Wagner-Nelson Equations 167
      - 3.4.3.1. Loo-Riegelman Equation 168
      - 3.4.3.2. Wagner-Nelson Equation 171
      - 3.4.3.3. Estimation of  $C_{\max}$  and  $t_{\max}$  175
      - 3.4.3.4. Influence of  $K_a$  and  $K_E$  upon  $C_{\max}$ ,  $t_{\max}$  and AUC 177
  - 3.5. Volume of Distribution and Distribution Coefficient 178
    - 3.5.1. Volume of Distribution (VD) 178
    - 3.5.2. Presence of a Fraction of Drug Both Inside and Outside Plasma 179

- 3.5.3. Determination of Plasma Volume 179
- 3.5.4. Volume of Total Body Water (or Fluid) 180
- 3.5.5. Volume of Distribution (VD) vs Protein/Tissue Binding of Drugs 180
- 3.6. Organ-Specific Clearance 181
  - 3.6.1. Concept of Organ-Specific Clearance 182
  - 3.6.2. Renal Clearance 183
    - 3.6.2.1. Two Substance Used to Determine GFR 184
    - 3.6.2.2. Active Tubular Secretion (ATS) 184
    - 3.6.2.3. Kinetics of Urinary Excretion 185
  - 3.6.3. Hepatic Clearance 196
    - 3.6.3.1. Venous Equilibrium Model of Hepatic Clearance 197
  - 3.6.4. Extra Hepatic/Non-Renal Elimination 199
    - 3.6.4.1. Biliary Excretion 200
    - 3.6.4.2. Exhalation 203
    - 3.6.4.3. Foecal Excretion 203
    - 3.6.4.4. Intestinal Excretion 204
    - 3.6.4.5. Excretion *via* Saliva/Skin 204
    - 3.6.4.6. Excretion *via* Milk 205
- 3.7. Non-Linear Pharmacokinetics 205
  - 3.7.1. Preamble 205
  - 3.7.2. Michaelis-Menten Equation 206
    - 3.7.2.1. Accounting for Deviation of Michaelis-Menten Equation 206
    - 3.7.2.2. Graphical Representation of Michaelis-Menten Equation 209
  - 3.7.3. Drug Elimination by Capacity-Limited Process 211
  - 3.7.4. Important Recognized Plot Variants in Non-Linear Pharmacokinetics 212
    - 3.7.4.1. Lineweaver-Burk Plot (or Doubled-Reciprocal Plot) 212
    - 3.7.4.2. Hanes-Woolf Plot 215
    - 3.7.4.3. Woolf-Augustinsson – Hofstee Plot 215
    - 3.7.4.4. Direct Linear Plot 216
- 3.8. Pharmacokinetic Profiles of Some Specific Examples from Various Classes of Drugs 216
  - 3.8.1. Antihypertensives 217
  - 3.8.2. Antiarrhythmics 218
  - 3.8.3. Antianginal Drugs 220
  - 3.8.4. Pharmacokinetics of Nitroglycerin after Intravenous Infusion in Normal Subjects 220
    - 3.8.4.1. Experimental Procedure 220
  - 3.8.5. Antineoplastic Agents 221
  - 3.8.6. Pharmacokinetics of Oral and Intravenous Fluorouracil in Humans 222
    - 3.8.6.1. Experimental Procedure 222

- 3.8.7. Antibiotics 223
- 3.8.8. Pharmacokinetics of Piperacillin and Gentamicin Following Intravenous Administration to Dogs 224
  - 3.8.8.1. Experimental Procedure 224

## **4. Clinical Pharmacokinetics (226–297)**

- 4.1. Introduction 226
  - 4.1.1. Scope of Pharmacokinetics 228
  - 4.1.2. Therapeutic Objective(s) 230
    - 4.1.2.1. Nonlinear Kinetics 232
    - 4.1.2.2. Bioavailability 232
    - 4.1.2.3. Drug Interactions 232
    - 4.1.2.4. Compliance 233
- 4.2. Dosage Regimens: Design-modalities and Implementation 233
  - 4.2.1. Design of Dosage Regimens 234
    - 4.2.1.1. Optimal Single Dosage Regimen 234
    - 4.2.1.2. Optimal Multiple Dosage Regimen 234
  - 4.2.2. Average Drug Concentration vs Body Content from Multiple Dosing to Steady State 241
    - 4.2.2.1. Preamble 241
    - 4.2.2.2. Loading and Maintenance Doses 242
    - 4.2.2.3. Maintenance of Drug Level Within the Therapeutic Range 244
    - 4.2.2.4. Perfect Design of Dosage Regimen Based Upon the Plasma-Drug Concentrations 245
  - 4.2.3. Individualization 247
    - 4.2.3.1. Objectives of Individualization 248
    - 4.2.3.2. Important Steps for Individualization 248
    - 4.2.3.3. Individualization Clinical Experience and Optimization Based upon Plasma-Drug Concentration (C) 256
  - 4.2.4. Drug Monitoring and Drug Therapy 259
    - 4.2.4.1. Preamble 259
    - 4.2.4.2. Therapeutic Endpoint 259
    - 4.2.4.3. Toxic Endpoint 259
    - 4.2.4.4. Importance of Monitoring Drug Therapy 259
    - 4.2.4.5. Variants in Drug Monitoring and Drug Therapy 260
- 4.3. Single Dose Bioequivalence Study: Design and Relevant Statistics 261
  - 4.3.1. Preamble 261
  - 4.3.2. Bioequivalence Study Parameters 265
  - 4.3.3. Bioequivalence Study Protocol 272
  - 4.3.4. Bioequivalence Study Design 273

4.3.4.1. Parallel Design	273
4.3.4.2. Cross-Over Design	273
4.3.5. Statistical Methods in Bioequivalence Study	275
4.3.5.1. Statistical Method Variants	275
4.3.6. Bioequivalence Data: Statistical Interpretation	278
4.3.7. US-FDA/EMEA Regulatory Requirements for Bioequivalence Studies	279
4.3.8. Good Clinical Practices (GCPs) in Bioequivalence	280
4.3.8.1. Commonly Observed Non-Compliance in Bioequivalence Study	281
4.3.9. Exemptions in Bioequivalence Study	282
4.3.10. Bioequivalence Studies: Not Necessary	282
4.3.11. Absolute Bioavailable Dosage	283
4.3.12. Practice Problems	288
4.4. Pharmacokinetics Drug Interaction: Significance in Combination Therapy	290
4.4.1. Pharmacokinetic Interactions	290
4.4.1.1. Drug Absorption	290
4.4.1.2. Interactions Changing Drug Distribution	292
4.4.1.3. Interactions Affecting Metabolism	293
4.4.1.4. Interactions Affecting Renal Excretion	295
4.4.2. Pharmacodynamic Interactions	296
4.4.2.1. Pharmacological Synergism	297
4.4.2.2. Pharmacological Antagonism	297

## **5. Bioavailability and Bioequivalence** (298–361)

5.1. Introduction	298
5.1.1. Definitions	299
5.2. Bioavailability	305
5.2.1. Preamble	305
5.2.2. Absolute Bioavailability	306
5.2.3. Relative Bioavailability	307
5.2.4. Bioequivalence Assessment and Data Evaluation (or Importance of Bioequivalence)	307
5.2.4.1. Bioequivalence Assessment	308
5.2.4.2. Urinary Drug Amount-Time Profiles	308
5.2.4.3. Peak-Height Concentration	309
5.2.5. Bioavailability Studies in Human: Pharmacokinetic Profiles	311
5.2.5.1. Comparison with a Reference Drug/Formulation	311
5.2.5.2. Bioavailability Studies as per the Helsinki Declaration	312
5.2.5.3. Drug Dissolution Rate and Bioavailability	313
5.2.6. Statistical Methods for Bioavailability Studies	321

5.2.6.1. Methods of Data Analysis	322
5.2.6.2. Statistical Analysis	323
5.2.6.3. Statistical Interpretation of Bioequivalence Data	323
5.2.7. Factors that Decrease Bioavailability	323
5.2.7.1. Presystemic Metabolism	323
5.2.7.2. Instability	326
5.2.8. Factors that Increase Bioavailability	330
5.2.8.1. Overcoming Acute Bioavailability Issues	331
5.2.8.2. Physiochemical Characteristics of a Drug	332
5.3. Bioequivalence	342
5.3.1. Preamble	342
5.3.2. Design and Conduct of Bioequivalence Studies	343
5.3.2.1. Criteria for the Design of Bioequivalence Study	344
5.3.2.2. Design	345
5.3.2.3. Subjects (or Volunteers)	346
5.3.2.4. Reference and Test Product	347
5.3.2.5. Analytical Methods	347
5.3.2.6. Investigation of Characteristic Features	349
5.3.2.7. Generalized Approach: Single-Dose Pharmacokinetic Bioequivalence Studies	350
5.3.4. Bioanalytical Method Development and Validation for Bioavailability and Bioequivalence Studies	351
5.3.4.1. Preamble	351
5.3.4.1.1. Bioanalytical Instruments	352
5.3.4.2. Factors Governing Retention Time-Sensitivity-Selectivity	353
5.3.4.2.1. Instrument to Be Used	354
5.3.4.3. Selection of GC/HPLC Column	355
5.3.4.3.1. pH of Mobile-Phase Buffer	355
5.3.4.3.2. Specific Composition of ‘Mobile-Phase’	356
5.3.4.3.3. Column-Oven Temperature	357
5.3.4.3.4. Sample Injection Volume	359
5.3.4.3.5. Extra Column Volume	359
5.3.4.4. Method Validation	360

**Appendices** (363–424)

**Index** (425–450)